



FILO






FILO VIDALI KOMPRESOR







FVK Serisi Teknik Özellikler :

MODEL	MOTOR GÜCÜ		ÇALIŞMA BASINCI		SERBEST HAVA DEBİSİ		dB-A	Ø	Kg
	KW	HP	BAR	PSI	Lt/dk	m3/dk			
FVK 7,5	7,5	10	8	116	1200	1,2	67	3/4	230
	7,5	10	10	140	1000	1,0			
	7,5	10	13	185	800	0,8			
FVK 11	11	15	8	116	1700	1,7	67	3/4	230
	11	15	10	140	1500	1,5			
	11	15	13	185	1200	1,2			
FVK 15	15	20	8	116	2100	2,1	68	3/4	300
	15	20	10	140	1900	1,9			
	15	20	13	185	1700	1,7			
FVK 18,5	18,5	25	8	116	3000	3,0	69	1	430
	18,5	25	10	140	2700	2,7			
	18,5	25	13	185	2400	2,4			
FVK 22	22	30	8	116	3600	3,6	69	1	450
	22	30	10	140	3200	3,2			
	22	30	13	185	2700	2,7			
FVK 30	30	40	8	116	5100	5,1	69	1 1/4	720
	30	40	10	140	4400	4,4			
	30	40	13	185	3700	3,7			
FVK 37	37	50	8	116	6000	6,0	71	1 1/4	750
	37	50	10	140	5300	5,3			
	37	50	13	185	4800	4,8			
FVK 45	45	60	8	116	7000	7,0	75	2	1000
	45	60	10	140	6200	6,2			
	45	60	13	185	5100	5,1			
FVK 55	55	75	8	116	9600	9,6	75	2	1100
	55	75	10	140	7400	7,4			
	55	75	13	185	6500	6,5			
FVK 75	75	100	8	116	12600	12,6	76	2	1600
	75	100	10	140	9300	9,3			
	75	100	13	185	7200	7,2			
FVK 90	90	125	8	116	15000	15,0	78	2 1/2	2200
	90	125	10	140	13000	13,0			
	90	125	13	185	11200	11,2			
FVK 110	110	150	8	116	20000	20,0	78	2 1/2	3000
	110	150	10	140	17000	17,0			
	110	150	13	185	15000	15,0			



FVD Serisi Teknik Özellikler :

MODEL	MOTOR GÜCÜ		ÇALIŞMA BASINCI		SERBEST HAVA DEBİSİ		dB-A	Ø	Kg
	KW	HP	BAR	PSI	Lt/dk	m3/dk			
FVD 7,5	7,5	10	8	116	1200	1,2	67	3/4	450
	7,5	10	10	140	1000	1,0			
	7,5	10	13	185	800	0,8			
FVD 11	11	15	8	116	1700	1,7	67	3/4	475
	11	15	10	140	1500	1,5			
	11	15	13	185	1200	1,2			



FILO

